

TPV30 HYDRAULIC TRASH PUMP

STANLEY®

V SERIES

March, 2014

The TPV30 Trash Pump is a submersible trash pump designed for heavy duty pumping at high volumes up to 3000 lpm at 3 meters of head. With its large opening, the TPV30 can pump solids up to 100 mm in diameter. As with all hydraulic pumps, the TPV30 is self priming and can run dry without damaging the motor, bearings or impeller; allowing for high performance and long tool life.

Features

- Capable of pumping up to 3000 lpm
- Can run dry without damage to the unit, unlike electrical or gas powered pumps
- Can pump solids up to 100 mm
- Self priming
- Heavy duty steel volute construction and iron impeller for increased durability



SPECIFICATIONS

TPV30801	
Weight	30 kg / 66 lbs
Pressure	140 bar / 2,000 psi
Flow Range	26 - 34 lpm / 7 - 9 gpm
Connector	1/2 in. Male Pipe Hose End
Length	48.5 cm / 19 in.
Width	38 cm / 15 in.
Capacity	3000 lpm / 800 gpm
Discharge	100 mm / 4 in.
Porting	1/2 in. NPTF

ORDERING INFORMATION

Model No.	Description
TPV30801	Hydraulic Trash Pump 100 mm Discharge

ACCESSORIES

Part No.	Description
65624	Lay-Flat Discharge Hose, 100 mm x 25 ft.

WARRANTY:

Stanley Hydraulic Tools and their associated parts are warranted against defects in materials and workmanship for a period of twelve months from the date of purchase. Stanley Hydraulic Tools reserves the right to repair or replace only those parts which prove to have been defective at the time of purchase. This warranty becomes void if maximum flow and pressure ratings are exceeded.

All stanley hydraulic tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your application, please consult stanley hydraulic tools.